

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 0 815 836 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
07.01.1998 Bulletin 1998/02

(51) Int. Cl.⁶: A61K 7/48, A61K 7/027,
A61K 7/032

(21) Application number: 97109566.6

(22) Date of filing: 12.06.1997

(84) Designated Contracting States:
AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC
NL PT SE

• Yago, Yuko
Sumida-ku, Tokyo (JP)
• Shibata, Masashi
Sumida-ku, Tokyo (JP)

(30) Priority: 26.06.1996 JP 165715/96

(71) Applicant: KAO CORPORATION
Chuo-ku Tokyo (JP)


(74) Representative:
Kindler, Matthias, Dr. Dipl.-Chem. et al
Hoffmann Eitle,
Patent- und Rechtsanwälte,
Arabellastrasse 4
81925 München (DE)

(72) Inventors:
• Imai, Takeo
Sumida-ku, Tokyo (JP)

(54) Oil-based solid cosmetic composition containing a fluoroalkyl (meth)acrylate copolymer and use thereof

(57) Disclosed herein is an oil-based solid cosmetic composition comprising the following components (A) and (B):

(A) 0.1-10 wt.% of a fluoroalkyl (meth)acrylate copolymer represented by the following general formula (1):



wherein R¹ and R² are independently a hydrogen atom or a methyl group, R³ is a hydrocarbon group having 1-32 carbon atoms, R_f is a group obtained by substituting part or the whole of hydrogen atoms of a hydrocarbon group having 1-32 carbon atoms with the corresponding number of fluorine atoms, and n and m are independently a number of 2-2,000 on the average; and

(B) 2.9-50 wt.% of a solid oily substance having a melting point of 60-120°C.

The cosmetic composition is good in shape retention and a feeling upon use, has excellent gloss upon its application and can retain the good gloss and color after the application over a long period of time. It may be used as a lipstick or eyebrow composition.

2 0 815 836 A2

BEST AVAILABLE COPY

Description

BACKGROUND OF THE INVENTION

5 Field of the Invention:

The present invention relates to an oil-based solid cosmetic composition which has excellent gloss upon its application, can retain the good gloss after the application over a long period of time, can last makeup longer and gives users a pleasant feeling upon use.

10 Description of the Background Art:

The gloss of an oil-based solid cosmetic composition such as a lipstick or eye color stick upon use is important from the viewpoint of more enhanced makeup effect. It is a principal function required of such a makeup composition to retain its good finish over a long period of time. In order to enhance the gloss of the oil-based solid cosmetic compositions, oily substances such as castor oil, olive oil and lanolin derivatives have heretofore been used. However, those oil-based solid cosmetic compositions containing any of these oily substances have been accompanied by deteriorated feeling or shape retention upon use. It has therefore been attempted to add organopolysiloxane having a low polymerization degree or an oily substance extracted from a naturally occurring substance, thereby enhancing the gloss of the resulting oil-based solid cosmetic composition. However, its effect is not yet sufficient taking the retention of gloss after its application into consideration.


SUMMARY OF THE INVENTION

25 Accordingly, it is an object of the present invention to provide an oil-based solid cosmetic composition which is good in shape retention and a feeling upon use, has excellent gloss upon its application and can retain the good gloss after the application over a long period of time.

In view of the foregoing circumstances, the present inventors have carried out an extensive investigation. As a result, it has been found that when a small amount of a specific fluoroalkyl (meth)acrylate copolymer is used in combination with a solid oily substance, an oil-based solid cosmetic composition, which can satisfy the above-described performance characteristics, can be obtained even when any of the above-described oils is not used, thus leading to completion of the present invention.

According to the present invention, there is thus provided an oil-based solid cosmetic composition comprising the following components (A) and (B):

35 (A) 0.1-10 wt.% of a fluoroalkyl (meth)acrylate copolymer represented by the following general formula (1):



40 wherein R^1 and R^2 are independently a hydrogen atom or a methyl group, R^3 is a hydrocarbon group having 1-32 carbon atoms, R_f is a group obtained by substituting part or the whole of hydrogen atoms of a hydrocarbon group having 1-32 carbon atoms with the corresponding number of fluorine atoms, and n and m are independently a number of 2-2,000 on the average; and

(B) 2.9-50 wt.% of a solid oily substance having a melting point of 60-120°C.

55 According to the present invention, the use of a small amount of the fluoroalkyl (meth)acrylate copolymer as the component (A) permits enhancing gloss upon application of the resulting oil-based solid cosmetic composition and moreover retention of the gloss without reducing the shape retention thereof. This effect is considered to be attributable to, for example, that the viscosity of the oil-based solid cosmetic composition upon its application is reduced due to

enhancement of dispersibility of the solid oily substance.

The oil-based solid cosmetic composition according to the present invention has good shape retention and a feeling upon use and excellent gloss upon its application, and can retain the good gloss and color after the application over a long period of time. The oil-based solid composition according to the present invention is also useful in other fields, e.g. medicines and writing utensils such as crayons.

The above and other objects, features and advantages of the present invention will become apparent from the following description and the appended claims.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The oil-based solid cosmetic composition as used herein means a cosmetic composition containing a relatively large amount of oily substances and having no fluidity at ordinary temperature (15-25°C) under ordinary pressure. No particular limitation is imposed on the shape thereof. However, examples of the shape include sticks, plates and those obtained by cast molding of the composition in dishes.

As cosmetic compositions in which a fluoroalkyl (meth)acrylate is incorporated, there have been known a cosmetic composition comprising a copolymer of a long-chain alkyl (meth)acrylate with a fluorinated alkyl group-containing (meth)acrylate as a film-forming component (Japanese Patent Application Laid-Open No. 289009/1986), an oil-based solid cosmetic composition comprising, as essential components, an oil-soluble polymeric substance containing the above copolymer, a volatile oily substance having a boiling point of 280°C or lower and a solid fat having a penetration degree of 40 or lower (Japanese Patent Application Laid-Open No. 12710/1987 corresponding to EP-A-206671) and a solid cosmetic composition comprising a waxy fluorine-containing polymer, a volatile oily substance and an oil-gelling agent (Japanese Patent Application Laid-Open No. 221306/1992). However, all of these cosmetic compositions make use of the film-forming property of the fluoroalkyl (meth)acrylate copolymer, and are hence different from the cosmetic composition according to the present invention.

In the fluoroalkyl (meth)acrylate copolymer of the component (A) represented by the formula (1), R^3 is a hydrocarbon group having 1-32 carbon atoms. Of these, hydrocarbon groups having at least 8 carbon atoms are preferred in the present invention, with those having at least 12 carbon atoms being particularly preferred. Examples of such hydrocarbon groups include alkyl, phenyl, alkyl-substituted phenyl and alkenyl groups. Examples of the alkyl group include methyl, ethyl, n-propyl, isopropyl, n-butyl, sec-butyl, isobutyl, n-hexyl, n-heptyl, n-octyl, n-nonyl, n-decyl, n-undecyl, n-dodecyl, n-tetradecyl, n-hexadecyl, n-octadecyl, n-eicosyl and n-behenyl groups. Examples of the alkyl-substituted phenyl group include those obtained by substituting at least one hydrogen atom of a phenyl group with any of the above-described alkyl groups. Examples of the alkenyl group include vinyl, allyl, crotyl, α -pentenyl, 2-hexenyl, 3-methyl-2-butenyl, 1,1-dimethyl-2-propenyl and isoprenyl groups. As R^3 , linear or branched alkyl groups having 8-32 carbon atoms are preferred, with linear or branched alkyl groups having 12-32 carbon atoms being particularly preferred.

R_1 is a group obtained by substituting part or the whole of hydrogen atoms of a hydrocarbon group having 1-32 carbon atoms, preferably 8-16 carbon atoms, with the corresponding number of fluorine atoms. Examples of such a hydrocarbon group include the same groups as those mentioned as R^3 . Of these, linear or branched alkyl groups having 8-32 carbon atoms are preferred, with linear or branched alkyl groups having 8-16 carbon atoms being particularly preferred. Preferable examples of R_1 include $C_6F_{13}C_2H_4$, $C_8F_{17}C_2H_4$, $C_{10}F_{21}C_2H_4$, $C_{11}F_{23}C_2H_4$, $C_{12}F_{25}C_2H_4$, $H(CF_2)_4C_2H_4$, $H(CF_2)_5C_2H_4$, $H(CF_2)_6C_2H_4$ and $H(CF_2)_8C_2H_4$. n and m are independently a number of 2-2,000 on the average. However, n is preferably a number of 2-1,000, while m is preferably a number of 2-100.

Examples of the fluoroalkyl (meth)acrylate copolymer (1) include copolymers of perfluorooctylethyl methacrylate with stearyl methacrylate, copolymers of perfluorodecylethyl methacrylate with myristyl methacrylate, copolymers of perfluorodecylethyl acrylate with stearyl methacrylate and copolymers of perfluoroundecylethyl methacrylate with behenyl methacrylate.

Such a fluoroalkyl (meth)acrylate copolymer (1) can be prepared in accordance with, for example, the process described in Japanese Patent Application Laid-Open No. 54410/1988. More specifically, the copolymer can be prepared by polymerizing each at least one of fluoroalkyl (meth)acrylates and alkyl (meth)acrylates at 60-65°C in the presence of a solvent such as n-hexane or toluene in a nitrogen atmosphere. Reaction conditions such as the molar ratio of the fluoroalkyl (meth)acrylate to the alkyl (meth)acrylate and the amount of a polymerization initiator can be selected, thereby obtaining a fluoroalkyl (meth)acrylate copolymer (1) containing these comonomers at a desired ratio. Precise sequence of the individual monomer units in the formula (1) is not particularly limited. Namely, the resulting copolymer may be a random or block copolymer.

The weight average molecular weight of the fluoroalkyl (meth)acrylate copolymer (1) is preferably 10,000-1,000,000, more preferably 10,000-500,000, most preferably 10,000-300,000. The weight average molecular weight mentioned above can be measured by Gel Permeation Chromatography (GPC) method using tetrahydrofuran (THF) as a solvent and polystyrene as a standard.

The fluoroalkyl (meth)acrylate copolymer (1) is incorporated in an amount of 0.1-10 wt.%, preferably 0.1-8 wt.%,

more preferably 0.5-8 wt.%, based on the total weight of the oil-based solid cosmetic composition. It is particularly preferable to incorporate the copolymer in an amount of 1-5 wt.% from a practical point of view. If the amount of the copolymer to be incorporated is less than 0.1 wt.%, its effects of enhancing gloss and retaining such gloss cannot be sufficiently achieved. On the other hand, any amount exceeding 10 wt.% results in an oil-based solid cosmetic composition deteriorated in usability and a feeling upon use.

The solid oily substance of the component (B) has a melting point of 60-120°C, preferably 65-110°C. The melting points herein mentioned can be measured by known method, e.g. a capillary method. Any solid oily substance having a melting point lower than 60°C is not preferred from the viewpoint of shape retention of the resulting composition because such a substance has poor solidifying ability. On the other hand, any solid oily substance having a melting point higher than 120°C is also not preferred because such a substance requires a higher-temperature operation upon melting.

Such a solid oily substance may be either a natural substance or a synthetic substance. Examples thereof include vegetable waxes such as candelilla wax, carnauba wax, rice wax, Japan wax and jojoba oil; animal waxes such as bees wax and spermaceti; mineral waxes such as montan wax, ozokerite and ceresin; petroleum waxes such as paraffin wax and microcrystalline wax; synthetic hydrocarbon waxes such as polyolefin wax and Fischer-Tropsch wax; modified waxes such as montan wax derivatives, paraffin wax derivatives, microcrystalline wax derivatives and polyolefin wax derivatives; hydrogenated waxes such as hardened castor oil and hardened castor oil derivatives; various fatty acids and derivatives thereof, such as 12-hydroxystearic acid, stearic acid amide, phthalic anhydride imide and chlorinated hydrocarbons; and acid amides, esters and ketones.

Of these, paraffin wax, ozokerite, ceresin, polyolefin wax, candelilla wax and carnauba wax are preferred in the present invention.

In order to make the hardness of the oil-based solid cosmetic composition moderate to give users a pleasant feeling upon use and to achieve sufficient shape retention, an amount of the solid oily substance (B) to be incorporated is 2.9-50 wt.%, preferably 4.9-40 wt.%, more preferably 10-40 wt.%, based on the total weight of the oil-based solid cosmetic composition.

The amounts of the components (A) and (B) to be incorporated are selected from the above respective ranges according to the use application, form and the like of the cosmetic composition. A weight ratio of the component (A) to the component (B) is preferably 0.01-0.5, particularly 0.05-0.5.

In the oil-based solid cosmetic composition according to the present invention, other ingredients commonly used in the conventional oil-based solid cosmetic compositions may be suitably incorporated in addition to the above-described essential components so far as no detrimental influence is thereby imposed on the effects of the present invention. Those ingredients are, for example, oily substances, waxes other than those having a melting point of 60-120°C, powders, dyes, polymer compounds other than the present component (A), perfume bases, surfactants, antioxidants, antiseptics and beautifying components. Besides, pigments commonly used in the conventional oil-based solid cosmetic compositions may be suitably incorporated in the oil-based solid cosmetic composition according to the present invention so far as no detrimental influence is thereby imposed on the effects of the present invention. As the pigments, there may be used known pigments generally employed in cosmetic compositions. Specific examples thereof include extender pigments such as talc, sericite, mica, kaolin, silica, nylon powder, polyethylene powder and cellulose powder; colorants such as carbon black, titanium oxide, iron oxide, zinc oxide, ultramarine blue, iron blue, chromium oxide, organic tar pigments and lakes; and combined pigments such as titanium mica and iron oxide-coated mica. These pigments for cosmetic compositions may be surface-treated with silicone, a higher fatty acid, a higher alcohol, a fatty acid ester, a metallic soap, an amino acid, an alkyl phosphate or the like, or encapsulated in organic or inorganic microcapsules before use.

The oil-based solid cosmetic composition according to the present invention comprises a small amount of the component (A) in combination with the solid oily substance component (B), whereby gloss upon its application is enhanced, retention of such gloss is also enhanced, and moreover a pleasant feeling upon use can be given to users. Therefore, the oil-based solid cosmetic composition according to the present invention is different from such conventional film-forming cosmetic composition containing the fluoroalkyl (meth)acrylate copolymer as described above. In addition, the oil-based solid cosmetic composition according to the present invention does substantially not require to incorporate any volatile oily substance, which has heretofore been used as a solvent for the fluoroalkyl (meth)acrylate copolymer. If the volatile oily substance is incorporated, its amount is at most 1 wt.% based on the total weight of the cosmetic composition.

Examples of the oil-based solid cosmetic composition according to the present invention include lipstick, lip cream, foundation, eye shadow, eyebrow and eyeliner. Of these, preferable are lipstick, lip cream, eyebrow, and eyeliner, particularly preferable are lipstick and lip cream.

The present invention will hereinafter be described in more detail by the following Synthesis Example, Test Examples, Examples and Comparative Examples. However, the present invention is not limited to or by these examples. Incidentally, all designations of "part" or "parts" as will be used in the examples mean part or parts by weight.

Synthesis Example 1:

A 4-necked flask (300 ml) was charged with 20.0 g of perfluorooctylethyl methacrylate [$\text{CH}_2=\text{C}(\text{CH}_3)\text{COOC}_2\text{H}_4\text{C}_8\text{F}_{17}$], 30.0 g of stearyl methacrylate, 50 g of n-hexane and 0.32 g of 2,2'-azobis(2,4-dimethylvaleronitrile) to prepare a solution under stirring. After purging with nitrogen, the monomers were polymerized for 5 hours at 60-65°C in a nitrogen atmosphere and further for 30 minutes under reflux. Ethanol as a precipitant was added to the resultant solution to precipitate a product formed. The product was then heated and dried under reduced pressure, thereby obtaining a fluoroalkyl methacrylate copolymer ($M_w = 81,000$; $m = 144$; $n = 72$) containing perfluorooctylethyl methacrylate and stearyl methacrylate at a ratio of 4:6.

Test Example 1:

After 20 parts of Polywax 655 (trade name; polyethylene wax having a melting point of 102°C; product of Toyo Petrolite K.K.) and 80 parts of n-butyl myristate (product of Tokyo Kasei Kogyo Co., Ltd.) were heated and mixed, the resultant mixture was cooled and solidified to obtain a comparative product. After 20 parts of Polywax 655 (product of Toyo Petrolite K.K.), 79 parts of n-butyl myristate (product of Tokyo Kasei Kogyo Co., Ltd.) and 1 part of a fluoroalkyl methacrylate copolymer obtained in Synthesis Example 1 or produced in a manner similar to Synthesis Example 1 were heated and mixed, the resultant mixture was cooled and solidified to obtain invention products 1 to 3. The comparative product and invention products 1 to 3 were separately brayed on a glass plate by a spatula to measure their viscosities by a method using a rheometer (RFS-2 Model manufactured by Rheometrics Co.). Besides, their gloss was organoleptically evaluated by 10 expert panelists. The results are shown in Table 1.

Table 1

	Components incorporated	Viscosity (P)	Gloss
Comparative product	Polywax 655 20 parts n-Butyl myristate 80 parts	3,000	△
Invention product 1	Polywax 655 20 parts n-Butyl myristate 79 parts Fluoroalkyl (meth)acrylate copolymer* ¹ (perfluorooctylethyl methacrylate:stearyl methacrylate = 3:7) 1 part	450	◎
Invention product 2	Polywax 655 20 parts n-Butyl myristate 79 parts Fluoroalkyl (meth)acrylate copolymer* ² (perfluorooctylethyl methacrylate:stearyl methacrylate = 4:6) 1 part	180	◎
Invention product 3	Polywax 655 20 parts n-Butyl myristate 79 parts Fluoroalkyl (meth)acrylate copolymer* ³ (perfluorooctylethyl methacrylate:stearyl methacrylate = 5:5) 1 part	150	◎
◎: Good; ○: Somewhat good; △: Fair; X: Poor.			

*1: $M_w = 93,000$, $m = 192$, $n = 62$;

*2: $M_w = 81,000$, $m = 144$, $n = 72$;

*3: $M_w = 77,000$, $m = 114$, $n = 86$.

Examples 1-4 and Comparative Examples 1-3:

Lipsticks were prepared in accordance with their corresponding compositions shown in Table 2.

Table 2

Components incorporated	Example 1	Example 2	Example 3	Comp. Ex. 1	Comp. Ex. 2	Comp. Ex. 3	wt. %
Fluoroalkyl (meth)acrylate copolymer ^{*4} (perfluorooctylethyl methacrylate:stearyl methacrylate = 4:6)	3.0				3.0	3.0	
Fluoroalkyl (meth)acrylate copolymer ^{*5} (perfluorooctylethyl methacrylate:stearyl methacrylate = 3:7)		3.0					
Fluoroalkyl (meth)acrylate copolymer ^{*6} (perfluorooctylethyl methacrylate:stearyl methacrylate = 5:5)			3.0				
Castor oil	10.0	10.0	10.0	10.0			
Solid paraffin (melting point: 70°C)	10.0	10.0	10.0	10.0			
Candelilla wax (melting point: 69°C)	4.0	4.0	4.0	4.0			
Carnauba wax (melting point: 83°C)	3.0	3.0	3.0	3.0			
Liquid paraffin	40.0	40.0	40.0	43.0	50.0	50.0	
Triglyceryl isostearate	23.0	23.0	23.0	23.0			
Red Color No. 201	2.0	2.0	2.0	2.0			
Red Color No. 202	1.0	1.0	1.0	1.0			
Red Color No. 104(1)	2.0	2.0	2.0	2.0			
Titanium oxide	2.0	2.0	2.0	2.0			
Polyethylene wax (melting point: 125°C)					17.0		
Solid paraffin (melting point: 55°C)						35.0	

^{*4}: Mw = 80,000, m = 122, n = 71; ^{*5}: Mw = 95,000, m = 202, n = 85; ^{*6}: Mw = 77,000, m = 114, n = 86.

(Preparation process)

Base materials were heated and melted, and were then mixed uniformly. Color materials were added to the melt. After kneading the resultant mixture and dispersing the color materials evenly by a roll mill, the mixture was melted again. The melt was deformed and then cast into a mold.

Test Example 2:

Ten expert panelists were got to use the lipsticks obtained in Example 1 and Comparative Example 1, thereby organoleptically evaluating them as to a feeling upon use. The results are shown in Table 3.

Table 3

	Ex. 1	Ex. 2	Ex. 3	Comp. Ex. 1	Comp. Ex. 2	Comp. Ex. 3
Spreadability upon application	⊙	⊙	⊙	○	△	X
Conformability	○	○	○	○	△	△
Gloss right after application	⊙	⊙	⊙	△	○	○
Moistured feeling upon application	⊙	○	⊙	△	△	X
Shape retention	○	⊙	○	○	○	△
Retention of gloss	⊙	⊙	⊙	△	△	△
Retention of moistured feeling	○	△	○	X	X	X
⊙: Good; ○: Somewhat good; △: Fair; X: Poor.						

Example 4 and Comparative Example 4:

Eye brow compositions were prepared in accordance with their corresponding formulations shown in Table 4.

Table 4

wt. %

Components incorporated	Example 4	Comparative Example 4
Fluoroalkyl (meth)acrylate copolymer* ⁷ (perfluoroundecylethyl methacrylate: behenyl methacrylate = 1:1)	3.0	
Ceresin (melting point: 81°C)	3.0	6.0
Paraffin wax (melting point: 68°C)	24.0	24.0
Bees wax (melting point: 65°C)	5.0	5.0
Vaseline	7.0	7.0
Lanolin (melting point: 50°C)	5.0	5.0
Liquid paraffin	7.0	7.0
Isopropyl myristate	4.0	4.0
Pigment	29.0	29.0

*7: Mw = 108,000, m = 137, n = 83.

(Preparation process)

Raw materials other than a pigment were heated and melted, and were then mixed uniformly. The pigment was added to the melt. After thoroughly stirring and kneading the resultant mixture and dispersing the pigment evenly by a roll mill, the mixture was cooled and crushed, followed by extrusion through a nozzle having an inner diameter of 3 mm.

Test Example 3:

Ten expert panelists were got to use the eye brow compositions obtained in Example 4 and Comparative Example 4, thereby organoleptically evaluating them as to gloss and a feeling upon use. The results are shown in Table 5.


Table 5

	Example 4	Comparative Example 4
Gloss right after application	○	Δ
Gloss after 1 hour from application	○	X
Feeling upon use	⊙	Δ
⊙: Good; ○: Somewhat good; Δ: Fair; X: Poor.		

Claims

1. An oil-based solid cosmetic composition comprising the following components (A) and (B):

(A) 0.1-10 wt.% of a fluoroalkyl (meth)acrylate copolymer represented by the following general formula (1):



wherein R^1 and R^2 are independently a hydrogen atom or a methyl group, R^3 is a hydrocarbon group having 1-32 carbon atoms, R_f is a group obtained by substituting part or the whole of hydrogen atoms of a hydrocarbon group having 1-32 carbon atoms with the corresponding number of fluorine atoms, and n and m are independently a number of 2-2,000 on the average; and

(B) 2.9-50 wt.% of a solid oily substance having a melting point of 60-120°C.

2. The oil-based solid cosmetic composition according to Claim 1, wherein the weight average molecular weight of the fluoroalkyl (meth)acrylate copolymer of the component (A) is 10,000-1,000,000.
3. The oil-based solid cosmetic composition according to Claim 1 or 2, wherein the component (A) is contained in an amount of 0.1-8 wt.% based on the total weight of the composition.
4. The oil-based solid cosmetic composition according to any one of Claims 1 to 3, wherein the component (B) is contained in an amount of 4.9-40 wt.% based on the total weight of the composition.
5. The oil-based solid cosmetic composition according to any one of Claims 1 to 4, wherein the composition substantially contains no volatile oily substance.
6. Use of an oil-based solid cosmetic composition as defined in any one of the claims 1 to 5 for lipsticks or as eyebrow compositions.

5/5/3

DIALOG(R)File 351:Derwent WPI
(c) 2006 Thomson Derwent. All rts. reserv.

011637595 **Image available**

WPI Acc No: 1998-054503/*199806*

XRAM Acc No: C98-018779

**Oil-based solid cosmetic composition - comprises fluoroalkyl
meth(acrylate) copolymer and solid oily substance having m.pt. of 60 to
120 degrees C**

Patent Assignee: KAO CORP (KAOS)

Inventor: IMAJI K; SHIBADA M; YAMI S; IMAI T; SHIBATA M; YAGO Y

Number of Countries: 022 Number of Patents: 009

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week
EP 815836	A2	19980107	EP 97109566	A	19970612	199806 B
JP 10072309	A	19980317	JP 97162401	A	19970619	199821
US 5849318	A	19981215	US 97872050	A	19970610	199906
JP 3088972	B2	20000918	JP 97162401	A	19970619	200048
TW 403661	A	20000901	TW 97108062	A	19970611	200112
EP 815836	B1	20020403	EP 97109566	A	19970612	200230
DE 69711495	E	20020508	DE 97611495	A	19970612	200238
			EP 97109566	A	19970612	
CN 1169281	A	19980107	CN 97113681	A	19970625	200321
CN 1139374	C	20040225	CN 97113681	A	19970625	200571

Priority Applications (No Type Date): JP 96165715 A 19960626

Patent Details:

Patent No Kind Lan Pg Main IPC Filing Notes

EP 815836 A2 E 9 A61K-007/48

Designated States (Regional): AT BE CH DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE

JP 10072309 A 6 A61K-007/00

US 5849318 A A61K-007/02

JP 3088972 B2 7 A61K-007/00 Previous Publ. patent JP 10072309

TW 403661 A A61K-007/02

EP 815836 B1 E A61K-007/48

Designated States (Regional): DE FR GB

DE 69711495 E A61K-007/48 Based on patent EP 815836

CN 1169281 A A61K-007/021

CN 1139374 C A61K-007/021

Abstract (Basic): EP 815836 A

An oil-based solid cosmetic composition comprises (a) 0.1-10 wt.% of a fluoroalkyl (meth)acrylate copolymer of formula (I), where R₁, R₂ = H or methyl; R₃ = 1-32C hydrocarbon group; R_f = group obtained by substituting part or the all of the H atoms of a 1-32C hydrocarbon group with the corresponding number of fluorine atoms; and n, m = 2-2000 on the average; and (b) 2.9-50 wt.% of a solid oily substance having a melting point of 60-120 deg. C.

Preferably the weight average molecular weight of the fluoroalkyl (meth)acrylate copolymer is 10000-1000000.

USE - The cosmetic composition is useful as a lipstick or eyebrow composition (claimed), also in medicines and writing utensils, e.g. crayons.

ADVANTAGE - The cosmetic composition has good shape retention and a pleasant feeling upon use, has excellent gloss upon its application,

and can retain the good gloss and colour after application over a long period of time.

Dwg.0/0

Title Terms: OIL; BASED; SOLID; COSMETIC; COMPOSITION; COMPRISE;

FLUOROALKYL; METHO; ACRYLATE; COPOLYMER; SOLID; OIL; SUBSTANCE; DEGREE

Derwent Class: A14; A96; D21

International Patent Class (Main): A61K-007/00; A61K-007/02; A61K-007/021;

A61K-007/48

International Patent Class (Additional): A61K-007/027; A61K-007/032;

C08L-033/16

File Segment: CPI

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☒ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☒ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.